

Drilling Products



Leader Drill Bits



Features:

- **Fast cutting** - precision ground teeth and outside diameter threads maximize tool performance.
- **Increased capabilities** - extra long to cut through 4x4 with no extension required.
- **Re-sharpenable** - easily re-sharpened with Lenox slim taper file (32510-STF).

Mfg Part No	Diameter (Inches)	Entrance for Pipe & Rigid Conduit (Inches)	Entrance for Tubing (Inches)
33100-LL100	1	1/2	7/8
33112-LL112	1-1/8	1/2	1
33125-LL125	1-1/4	3/4	1-1/8
33137-LL137	1-3/8	1	1-1/4
33150-LL150	1-1/2		1-3/8
33175-LL175	1-3/4	1-1/4	1-1/2
33200-LL200	2	1-1/2	1-7/8
33212-LL212	2-1/8		2
33225-LL225	2-1/4		2-1/8
33256-LL256	2-9/16	2	2-1/2
33300-LL300	3	2-1/2	2-7/8
33362-LL362	3-5/8	3	3-1/2
33462-LL462	4-5/8	4	4-1/2

Protool Lube



Features:

- **A unique synthetic blend designed to increase tool life** - when cutting, milling, reaming, tapping and drilling metal, wood and plastics.
- **Shortens cutting time by up to 50%** - provides smoother, cleaner cutting and dramatically longer blade life.
- **Reduces heat and friction** - water-soluble, so it cleans up with water. Biodegradable and non-toxic, too. Extends tool life.

Mfg Part No	Description
68040	6 ounce bottle
68047	1 gallon container
68048	5 gallon container
68050	55 gallon drum

Vari-Bit Step Drill Bits



Features:

- **Accurate, burr-free holes** - patented two flute design cuts fast, clean, round holes.
- **Starts on contact** - split point design for faster penetration and less walking.
- **Long tool life** - steam oxide coating adds durability. Enhanced flute design removes chips rapidly, ensuring longer tool life.

Mfg Part No	Hole Sizes (Inches)	Chuck Size (Inches)	Unibit
30881-VB1	1/8, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32, 7/16, 15/32, 1/2	1/4	1
30882-VB2	1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1	3/8	20
30883-VB3	1/4, 5/16, 3/8, 7/16, 1/2 9/16, 5/8, 11/16, 3/4	3/8	3
30909-VB9	7/8, 1-1/8, 1-7/32	3/8	11, 13, 14
30925-VB8	Extension 8". Fits 3/8" drill chuck & larger. 1 per clam		
30884-VB4	3/16, 1/4, 5/16, 3/8, 7/16, 1/2	1/4	2
30886-VB6	3/8, 1/2	1/4	10, 12
30887-VB7	7/8 (for 1/2" conduit)	3/8	11
30888-VB11	7/8, 1-1/8 (for 1/2" and 3/4" conduit)	3/8	13
30908-VB8	3/16, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8	3/8	4
30912-VB12	7/8, 1-1/8, 1-7/32, 1-1/4, 1-3/8	3/8	

LENOX

Hacksaw Blades & Hand Saws



Heavy-Duty Hand Saws



Features:

- **Rugged design** - heavy-duty aluminum handle.
- **Fits into tight spots** - allows for flush cutting applications.

Mfg Part No	Description	Applications
20975-975	Mini Hacksaw	Compact Hacksaw-Cuts bolts, wire, tubing & plastic



# LENOX

## Hacksaw Blades & Hand Saws



### Heavy-Duty Hand Saws

#### PVC/ABS Plastic Pipe Hand Saw



**Features:**

- **Breezes through material** - unique pull cutting teeth cut quickly through all plastic pipe and wood.
- **Durable blade** - rigid carbon blade with hardened teeth for long life.
- **Comfortable handle** - large opening for work gloves.

Mfg Part No	TPI	Description
20985-HSF12	10	12" blade & handle
20980-HSF18	10	18" blade & handle
20982-HSB12	10	12" replacement blade
20981-HSB18	10	18" replacement blade
20987-FCBA	-	Flush cutting blade adaptor

#### Tri-Fold Saw



**Features:**

- **Convenient blade storage** - safely fold blade into handle.
- **Compact design** - fits easily into pocket or tool box.
- **Replaceable blades** - uses any standard reciprocating saw blade.
- **Rugged design** - heavy-duty aluminum handle has a comfortable hand grip.
- **Multi-purpose** - push button design locks blade into three different positions for multiple cutting applications.

Mfg Part No	Description	Applications
20993-3618	Tri-Fold Saw	Wood, Drywall & non-metallic
20992-3636	Tri-Fold Saw	Metal cutting
20997-TFHS618636	Tri-Fold Saw with two blades	Plaster, wood & metal cutting

### Bi-Metal Hacksaw Blades



**Features:**

- **Shatter resistant** - bi-metal construction allows blades to bend and flex.
- **Longer life** - TUFF TOOTH™ design eliminates tooth stripage.

Mfg Part No	TPI	Length (Inches)	Width (Inches)	Quantity/Pack
20140-V018HE	18	10	1/2	10
20141-V024HE	24	10	1/2	10
20142-V032HE	32	10	1/2	10
20143-V214HE	14	12	1/2	10
20144-V218HE	18	12	1/2	10
20145-V224HE	24	12	1/2	10
20146-V232HE	32	12	1/2	10

### High Tension Frame



**Features:**

- **Comfortable grip** - ergonomic design and larger space fit gloved hands.
- **Convenient storage** - handle holds up to five 12" hacksaw blades for quick changeouts.
- **Multi-purpose** - mount at 45° for flush cutting; insert standard recip blade to use as a jab saw.
- **Fast, straight cuts** - tensions up to 30,000 psi.

Mfg Part No	Description
20918-4012	High Tension Hand Hacksaw Frame

LENOX

Albany, NY	518-489-0010	Rochester, NY	585-482-3876	Allentown, PA	610-437-9818	Scranton, PA	570-346-1565
Binghamton, NY	607-724-2451	Syracuse, NY	315-475-3131	Altoona, PA	814-941-7617	Stroudsburg, PA	570-424-5724
Buffalo, NY	716-853-1291	Utica, NY	315-732-4077	Erie, PA	814-459-4559	Wilkes-Barre, PA	570-824-8779
Middletown, NY	845-733-5666			Harrisburg, PA	717-558-0828	Williamsport, PA	570-323-4606

Hand Tools



Tubing Cutters



Features:

- **Won't walk while cutting** - four roller tracking system keeps tube from threading.
- **Professional deburring** - cleanly and easily deburr pipes with the replaceable machinist's reamer.
- **Will not damage cutting wheels** - full-stop feed system prevents wheels and rollers from coming into contact.
- **Easy to use** - change out wheels with only a screwdriver.
- **Convenient storage** - store an extra cutting wheel in the handle.

Mfg Part No	Tube Diameter Range
21010-TC11/8	1/8" - 1-1/8"
21011-TC13/8	1/8" - 1-3/8"
21012-TC13/4	1/8" - 1-3/4"
21013-TC25/8	1/4" - 2-5/8"

Hole Cutters



One Tooth Rough Wood Hole Cutter



Features:

- **Long lasting** - high speed steel tooth can cut over 300 holes before re-sharpening.
- **Cuts fast** - 3/8" stubby spade bit helps remove material quickly.
- **Unique cutting application** - provides the ability to cut at an angle.
- **Rough wood cutting** - cuts wet, frozen, pressure treated and hardwoods without binding.
- **Easy to use** - patented design allows for easy plug ejection.

Mfg Part No	Cutter Size (Inches)	Cutting Depth (Inches)	Applications
25434-34HC	2-1/8	2	1-1/2" pipe & lock installation
25436-36HC	2-1/4	2	1-1/2" pipe & 45°/90° bend couplings
25441-41HC	2-9/16	2	2" pipe
25444-44HC	2-3/4	2	2" pipe & 45°/90° bend couplings
25454-54HC	3-3/8	2	3" duct pipe & bendable duct pipe
25456-56HC	3-5/8	2	3" pipe
25464-64HC	4	2	3" pipe & coupling & dryer vent
25469-69HC	4-5/16	2	4" duct pipe & bendable duct pipe
25474-74HC	4-5/8	2	4" pipe
25480-80HC	5	2	4" pipe & coupling
25487-87HC	5-1/2	2	Toilet flange
25500-00HC	6-1/4	2	6" duct pipe
25310-SB38	-	-	3/8" stubby spade bit
25312-DIAF1	-	-	Diamond file for re-sharpening

Levels



Magnetic 9" Torpedo Level



Features:

- Slope detection
- Plumb View Mirror
- B Tank Valve Key
- Contoured Sides & V-Groove Edge
- Ruler
- Cast Aluminum body
- Rare earth magnets
- 45, 90 and 180 degree vials

Mfg Part No	Size	Ship Weight
21190-LV9T	9"	0.25 lbs

LENOX



# LENOX

## Utility Knives & Blades



### Lenox Gold Blades



#### Features:

- **Lasts longer** - high speed steel edge with titanium coating keeps blades cutting after others have quit.
- **Shatter resistant** - patented bi-metal construction allows blades to bend and flex without breaking.
- **Makes deeper cuts** - four-notch system allows blade to extend further.
- **Cuts the toughest materials** - great for cutting drywall, insulation, flooring, roofing and more.
- **Fits all standard utility knives**
- **Easy to use** - dispense blades directly into Lenox knives without touching the blade.
- **Dispenses one or five blades at a time**
- **Multi-purpose** - safely holds used blades.

Mfg Part No	Description
20350-GOLD5C	Utility Knife Blade 5 pack
20351-GOLF50D	Blade 50 pack dispenser
20352-GOLD100D	Blade 100 pack dispenser

## Hole Saws



### Bi-Metal Hole Saws Kits

#### Electrician's kit



Mfg Part No	Arbors	Tool Sizes	Pack Qty
30802-1200L	2L, 5L Two 4321 and one 56PD pilot drills.	3/4", 7/8", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/2", 2-11/16", 3", 3-5/8", 4-1/8", 4-3/4"	17 piece


#### Refrigeration Kit



Mfg Part No	Arbors	Tool Sizes	Pack Qty
30830-600R	5L, 6L One 56PD pilot drill.	5/8", 7/8", 1-1/8", 1-3/8", 1-5/8", 2-1/8"	9 piece

### Hole Saw Arbors & Accessories

#### Arbors



#### Features:

- **Added durability** - hardened carbon steel for strength through the cross-section.
- **Starts on contact** - split point pilot drill for faster penetration and less walking.
- **Simple plug ejection** - 7L arbor is designed with sliding pins to easily eject plugs from hole saws.
- **Easy to use** - power groove shank allows arbors to be used in Lenox Uni-Drive quick change system. No tool changes required

Mfg Part No	Fits Hole Saws	Shank Type	Shank Size (Inches)
30001-1L	9L-19L	Hex	1/2 & larger
30002-2L	20L-96L	Hex	1/2 & larger
30003-3L	20L-96L	Solid/Hex	1/2 & larger
30004-4L	9L-19L	3 sided	1/4 & larger
30005-5L	9L-19L	Hex	3/8 & larger
30006-6L	20L-96L	Hex	3/8 & larger
30007-7L	24L-96L	Hex	3/8 & larger

#### Accessories



Mfg Part No	Chuck Size (Inches)	Fits Arbor Number	Description
30850-4321	1/4	1L, 2L or 4L	Pilot Drill (1 per pack)
30853-B4321	1/4	1L, 2L or 4L	Pilot Drill (25 per pack)
30851-56PD	1/4	3L, 5L, 6L or 7L	Pilot Drill (1 per pack)
30297-123CT	1/4	1L, 2L, 4L or 7L	Carbide Tipped Pilot Drill (1 per pack)
30298-65CTPD	1/4	5L or 6L	Carbide Tipped Pilot Drill (1 per pack)
30857-AA1		1L, 4L or 5L	Arbor Adaptor (5 per pack)
30848-18X	1/2 & larger	1L, 2L or 3L	18" Extension (1 per pack)
30847-12X	1/2 & larger	1L, 2L or 3L	12" Extension (1 per pack)
30843-10X	3/8 & larger	5L, 6L or 7L	10" Extension (1 per pack)
30846-55X	1/2 & larger	1L, 2L or 3L	5-1/2" Extension (1 per pack)

LENOX

Albany, NY	518-489-0010	Rochester, NY	585-482-3876	Allentown, PA	610-437-9818	Scranton, PA	570-346-1565
Binghamton, NY	607-724-2451	Syracuse, NY	315-475-3131	Altoona, PA	814-941-7617	Stroudsburg, PA	570-424-5724
Buffalo, NY	716-853-1291	Utica, NY	315-732-4077	Erie, PA	814-459-4559	Wilkes-Barre, PA	570-824-8779
Middletown, NY	845-733-5666			Harrisburg, PA	717-558-0828	Williamsport, PA	570-323-4606

Hole Saws



Bi-Metal Hole Saws



Features:

- **Added durability** - thick backing plate resists damage and increases life.
- **Unique tooth configuration** - patented Vari-tooth design optimizes cutting for fast cuts and long tool life. Patent no. 5803678.
- **Resists tooth strippage** - bi-metal construction creates a hardened edge to minimize tooth stripping.

Mfg Part No	Diameter (Inches)	Pipe Tap (Inches)	Use Arbor Number	Pipe Entrance (Inches)
30009-9L	9/16		1L, 4L or 5L	
30010-10L	5/8		1L, 4L or 5L	
30011-11L	11/16		1L, 4L or 5L	
30012-12L	3/4	1/2	1L, 4L or 5L	3/8
30098-20MMHS	25/32		1L, 4L or 5L	
30013-13L	13/16		1L, 4L or 5L	
30014-14L	7/8	3/4	1L, 4L or 5L	1/2
30015-15L	15/16		1L, 4L or 5L	
30016-16L	1		1L, 4L or 5L	
30017-17L	1-1/16		1L, 4L or 5L	
30018-18L	1-1/8	1	1L, 4L or 5L	3/4
30019-19L	1-3/16		1L, 4L or 5L	
30020-20L	1-1/4		2L, 3L or 6L	
30021-21L	1-5/16		2L, 3L or 6L	
30022-22L	1-3/8		2L, 3L or 6L	1
30023-23L	1-7/16		2L, 3L or 6L	
30024-24L	1-1/2	1-1/4	2L, 3L, 6L or 7L	
30025-25L	1-9/16		2L, 3L, 6L or 7L	
30026-26L	1-5/8		2L, 3L, 6L or 7L	
30027-27L	1-11/16		2L, 3L, 6L or 7L	
30028-28L	1-3/4	1-1/2	2L, 3L, 6L or 7L	1-1/4
30029-29L	1-13/16		2L, 3L, 6L or 7L	
30030-30L	1-7/8		2L, 3L, 6L or 7L	
30032-32L	2		2L, 3L, 6L or 7L	1-1/2
30033-33L	2-1/16		2L, 3L, 6L or 7L	
30034-34L	2-1/8		2L, 3L, 6L or 7L	
30036-36L	2-1/4	2	2L, 3L, 6L or 7L	
30037-37L	2-5/16		2L, 3L, 6L or 7L	
30038-38L	2-3/8		2L, 3L, 6L or 7L	
30040-40L	2-1/2		2L, 3L, 6L or 7L	2
30041-41L	2-9/16		2L, 3L, 6L or 7L	
30042-42L	2-5/8	2-1/2	2L, 3L, 6L or 7L	
30043-43L	2-11/16		2L, 3L, 6L or 7L	
30044-44L	2-3/4		2L, 3L, 6L or 7L	
30046-46L	2-7/8		2L, 3L, 6L or 7L	
30048-48L	3		2L, 3L, 6L or 7L	2-1/2
30050-50L	3-1/8		2L, 3L, 6L or 7L	
30052-52L	3-1/4	3	2L, 3L, 6L or 7L	
30054-54L	3-3/8		2L, 3L, 6L or 7L	
30056-56L	3-1/2		2L, 3L, 6L or 7L	
30058-58L	3-5/8		2L, 3L, 6L or 7L	3
30060-60L	3-3/4	3-1/2	2L, 3L, 6L or 7L	
30062-62L	3-7/8		2L, 3L, 6L or 7L	
30064-64L	4		2L, 3L, 6L or 7L	
30066-66L	4-1/8		2L, 3L, 6L or 7L	3-1/2
30068-68L	4-1/4	4	2L, 3L, 6L or 7L	
30070-70L	4-3/8		2L, 3L, 6L or 7L	
30072-72L	4-1/2	4-1/2	2L, 3L, 6L or 7L	
30074-74L	4-5/8		2L, 3L, 6L or 7L	4
30076-76L	4-3/4		2L, 3L, 6L or 7L	
30080-80L	5		2L, 3L, 6L or 7L	
30088-88L	5-1/2		2L, 3L, 6L or 7L	
30096-96L	6		2L, 3L, 6L or 7L	

LENOX



# LENOX

## Reciprocating Blades



### Bi-Metal Recip Blades



#### Features:

- **Shatter resistant** - bi-metal blades bend and resist breaking and extend blade life.
- **Designed to attack** - unique blade geometry positions the blade for optimum cutting performance.
- **Long lasting** - tuff tooth design is reinforced to cut stronger and last longer.

Mfg Part No	Length (Inches)	Width (Inches)	Thickness (Inches)	Applications	Quantity/Pack
20575-634R	6	3/4	.050	Extra fast cutting in thick, nail-free wood	5
20449-456RP	4	3/4	.050	For plaster, plaster board & lath. Bi-directional cutting	5
20570-636RP	6	3/4	.050	For plaster, plaster board & lath. Bi-directional cutting	5
20560-606R	6	3/4	.035	Fast cutting for wood, composition materials, plastics & non-ferrous metal	5
20556-676RC	6	7/16	.050	Contour cutting in all woods, nail-embedded wood & composition materials	5
20572-656R	6	3/4	.050	Fast cutting. Roughing-in work & nail-embedded wood	5
20582-956R	9	3/4	.050	Fast cutting. Roughing-in work & nail-embedded wood	5
20585-156R	12	3/4	.050	Fast cutting. Roughing-in work & nail-embedded wood	5
20562-610R	6	3/4	.035	Nail-embedded wood, Composition materials & plastics. Pipe, Carbon steel, Stainless steel: 1/8"-1/4". Non-ferrous metal: 1/8"-1/2" thick	5
20580-810R	8	3/4	.050	Nail-embedded wood, Composition materials & plastics. Pipe, Carbon steel, Stainless steel: 1/8"-1/4". Non-ferrous metal: 1/8"-1/2" thick	5
20577-850R	8	3/4	.050	Wood, Nail-embedded wood, Pipe, Carbon steel, Stainless steel: 1/8"-1/4", Non-ferrous metal: 1/8"-1/2" thick. Demolition work, Fire & rescue	5
20583-110R	12.	3/4	.050	Wood, Nail-embedded wood, Pipe, Carbon steel, Stainless steel: 1/8"-1/4", Non-ferrous metal: 1/8"-1/2" thick. Demolition work, Fire & rescue	5
20520-314RC	3-5/8	5/16	.035	Contour cutting in wood < 3/4" thick & in metal 3/32"- 5/16" thick.	5
20550-414R	4	3/4	.035	Pipe, Structural steel, Stainless steel: 3/32"-1/4", Non-ferrous metal: .3/32"-3/8"	5
20564-614R	6	3/4	.035	Pipe, Structural steel, Stainless steel: 3/32"-1/4", Non-ferrous metal: .3/32"-3/8"	5
21519-814R	8	3/4	.035	Pipe, Structural steel, Stainless steel: 3/32"-1/4", Non-ferrous metal: .3/32"-3/8"	5
20521-318RC	3-5/8	5/16	.035	Contour cutting in metal: 1/16"-1/8"	5
20552-418R	4	3/4	.035	Structural steel, Pipe, Conduit, Stainless steel: 1/16"-3/16" thick, Non-ferrous metal: 1/16"-5/16"	5
20566-618R	6	3/4	.035	Structural steel, Pipe, Conduit, Stainless steel: 1/16"-3/16" thick, Non-ferrous metal: 1/16"-5/16"	5
20578-818R	8	3/4	.035	Structural steel, Pipe, Conduit, Stainless steel: 1/16"-3/16" thick, Non-ferrous metal: 1/16"-5/16"	5
21510-118R	12	3/4	.035	Structural steel, Pipe, Conduit, Stainless steel: 1/16"-3/16" thick, Non-ferrous metal: 1/16"-5/16"	5
20554-424R	4	3/4	.035	All metals less than 1/8" thick, Tubing, Conduit, Trim	5
20568-624R	6	3/4	.035	All metals less than 1/8" thick, Tubing, Conduit, Trim	5
20579-824R	8	3/4	.035	All metals less than 1/8" thick, Tubing, Conduit, Trim	5

### Demolition Blades



#### Features:

- **Extreme versatility** - designed to cut easily through the toughest materials. Cuts dimensional lumber, angle iron, fasteners and metal pipe—simultaneously.
- **Optimized performance** - thicker (.062) and wider (7/8") blades minimize whipping for straighter and smoother cuts.
- **Shatter resistant** - bi-metal blades bend and resist breaking and extend blade life.

Mfg Part No	TPI	Length (Inches)	Width (Inches)	Thickness (Inches)	Applications	Quantity/Pack
20512-6066R	6	6	7/8	.062	Demolition work in nail-embedded wood	2
20598-966R	6	9	7/8	.062	Demolition work in nail-embedded wood	2
20500-106R	6	12	7/8	.062	Demolition work in nail-embedded wood	2
20597-960R	10	9	7/8	.062	Demolition work in wood & metal. Fire & rescue	2
20592-650R	10/14	6	3/4	.050	Demolition work in wood & metal. Fire & rescue	2

LENOX

Albany, NY	518-489-0010	Rochester, NY	585-482-3876	Allentown, PA	610-437-9818	Scranton, PA	570-346-1565
Binghamton, NY	607-724-2451	Syracuse, NY	315-475-3131	Altoona, PA	814-941-7617	Stroudsburg, PA	570-424-5724
Buffalo, NY	716-853-1291	Utica, NY	315-732-4077	Erie, PA	814-459-4559	Wilkes-Barre, PA	570-824-8779
Middletown, NY	845-733-5666			Harrisburg, PA	717-558-0828	Williamsport, PA	570-323-4606

Reciprocating Blades



Master-Grit Recip Blades



Features:

- **Smooth cutting** - master-grit™ does not snag or chip, providing smooth cuts.
- **Long lasting** - super hard (ra 90-93) cutting edge cuts through even the toughest materials.
- **Abrasive cutting** - cuts through cast iron, fiberglass, ceramic tile, clay, pipe, stone, brick, plaster and marble.

Mfg Part No	Length (Inches)	Width (Inches)	Thickness (Inches)	Grit	Applications
20505-600RG	6	3/4	.032	Medium	Cast iron, Fiberglass,
20576-800RG	8	3/4	.040	Medium	Ceramic wall tile, Clay, Pipe,
20506-100RG	10	3/4	.050	Medium	Stone, Brick, Plaster, Marble.

Reciprocating Saw Blades



Gold Demolition

Features:

- **Lasts longer** - reinforced tooth design and Titanium coating combine to create the longest lasting blade, ever.
- **Shatter Resistant** - bi-metal technology flexes, resists breaking and extends blade life.
- **Cuts faster** - specially formulated Titanium edge improves the wear resistance of the blade teeth for faster cuts throughout the blade's life.



Mfg Part No	TPI	Length (Inches)	Width (Inches)	Thickness (Inches)
21088-6066G	6	6"	7/8"	0.062
21090-966G	6	9"	7/8"	0.062
21091-106G	6	12"	7/8"	0.062
21089-960G	10	9"	7/8"	0.062

Gold Metal Cutting



Mfg Part No	TPI	Length (Inches)	Width (Inches)	Thickness (Inches)
21069-618G	18	6"	3/4"	.035
21068-418G	18	4"	3/4"	.035
21067-614G	14	6"	3/4"	.035
21073-824G	24	8"	3/4"	.035
21064-610G	10	6"	3/4"	.035
21066-414G	14	4"	3/4"	.035
21070-818G	18	8"	3/4"	.035
21065-810G	10	8"	3/4"	.050
21072-624G	24	6"	3/4"	.035
21071-424G	24	4"	3/4"	.035

Gold Wood Cutting



Mfg Part No	TPI	Length (Inches)	Width (Inches)	Thickness (Inches)
21060-656G	6	6"	3/4"	.050
21061-156G	6	12"	3/4"	.050
21062-956G	6	9"	3/4"	.050
21063-676GC	6	6"	7/16"	.050

Torches And Accessories



Self-Igniting Hand Torches



Features:

- **Self-igniting** - trigger start.
- **Maximum target/efficient heat output** - adjustable ultra swirl flame.
- **Consistent performance in hot or cold weather** - piston regulator.
- **Durable housing** - cast aluminum construction.

Mfg Part No	Description
21174-LT90	Self-Igniting Swirl Flame Hand Torch
21175-LT90R	Self-igniting swirl flame replacement assembly
21176-LT91	Self-igniting swirl flame hand torch with adjustable flame
21177-LT91R	Self-igniting adjustable swirl replacement assembly
21174-LT90	Self-Igniting Ultra Swirl Flame Hand Torch With Adjustable Flame
21179-LT92R	Self-igniting adjustable ultra swirl replacement assembly
21183-LT60	Self-igniting heat shrink hand torch
21184-LT60R	Self-igniting heat shrink replacement assembly

LENOX

