

## GAS LEAK DETECTOR

- High viscosity formulation to enhance contact time.
- Non-corrosive to metals.
- Freeze protected to 5°F.
- Can be used at temperatures up to 225°F.
- Fluorescence for improved visibility.
- Long-lasting bottles
- Suitable for all refrigerants, natural gas, and oxygen.

### Description

Fluorescent Gas Leak Detector is a complete product. Not only does it detect the smallest leak, it also provides other significant features and benefits. It's high viscosity formula enables it to remain in contact with the applied surface for an extended period of time, thereby allowing the smallest of leaks to be detected.

### Application

Fluorescent Gas Leak Detector meets the technicians need for a quality, effective leak detector. It is non-corrosive to metal, which is a significant feature that helps to maintain the integrity of piping, tubing, and fittings. Being fluorescent-colored in order to facilitate visibility of bubbles in sunlight or bright lights, it is also freeze-protected and safe for use on all refrigerants, natural gas, and oxygen.

## Specialty Products

### Fluorescent Gas Leak Detector



### Directions for Use

Apply liberally around joint in gas line. If joints leak, bubbles will form in a few seconds.

### Packaging

8 ounce w/dauber	<b>4184-53</b>
1 quart w/sprayer	<b>4184-24</b>
1 gallon	<b>4184-08</b>

Read and understand the product's label and Material Safety Data Sheet ("MSDS") for precautionary and first aid information.

The MSDS is available on the Nu-Calgon website at [www.nucalgon.com](http://www.nucalgon.com).

